Physica C 212 (1993) 497–500
North-Holland

PHYSICA C

Author Index to Volume 212

Adachi, S., H. Yamauchi, S. Tanaka and N. Môri, New superconducting cuprates in the Sr–Ca–Cu–O system **212**, 164
Adachi, S., see M. Itoh **212**, 271
Agnihotry, S.A., S. Chandra, P.P. Bakare and S.K. Date, Superconductivity in an Sb-incorporated Bi–Sr–Ca–Cu–O (BSSCCO) system **212**, 381
Ahrens, E.T., A.P. Reyes, P.C. Hammel, J.D. Thompson, P.C. Canfield, Z. Fisk and J.E. Schirber, Thermal history-dependent superconductivity and local structure in $La_2CuO_{4+\delta}$ **212**, 317
Andrikidis, C., see Y. Zhao **212**, 451
Antipov, E.V., see S.N. Putilin **212**, 266

Bakare, P.P., see S.A. Agnihotry **212**, 381
Bansil, A., see M. Lindroos **212**, 347
Barabanov, A.F., L.A. Maksimov and L.E. Zhukov, Hole spectrum of adjacent CuO_2 planes in the two-band model and the non-monotonic T_c dependence on the external parameters **212**, 375
Bischof, B., see J. Hauck **212**, 435
Bräuchle, G., see A. Zibold **212**, 365
Browning, N.D., M.F. Chisholm, S.J. Pennycook, D.P. Norton and D.H. Lowndes, Correlation between hole depletion and atomic structure at high-angle grain boundaries in $YBa_2Cu_3O_{7-\delta}$ **212**, 185
Bryntse, I. and S.N. Putilin, Electron microscopy studies of the mercury-based superconductor $HgBa_2CuO_{4+\delta}$ **212**, 223

Caldès, M., see D. Pelloquin **212**, 199
Campuzano, J.C., see M. Lindroos **212**, 347
Canfield, P.C., see E.T. Ahrens **212**, 317
Chandra, S., see S.A. Agnihotry **212**, 381
Chen, Z.Y., Z.Z. Sheng, Y.Q. Tang, Y.F. Li, D.O. Pederson, K. Goretta, P. Kostic and D.L. Shi, Effects of Bi-substitution for Tl in 1222-type cuprate $TlSr_2(Nd, Ce)_2Cu_2O_z$ **212**, 206
Chisholm, M.F., see N.D. Browning **212**, 185
Chmaissem, O., Q. Huang, S.N. Putilin, M. Marezio and A. Santoro, Neutron powder diffraction study of the crystal structures of $HgBa_2CuO_{4+\delta}$ and $HgBaO_2$ **212**, 259
Cho, J.H., D.C. Johnston, M. Ledvij and V.G. Kogan, Vortex fluctuations in polycrystalline $Bi_{1.75}Pb_{0.25}Sr_2Ca_2Cu_3O_{10}$ **212**, 419
Chow, J.C.L., see P.C.W. Fung **212**, 279
Chukanova, I.N., see P.N. Mikheenko **212**, 332
Claus, H., see A. Zibold **212**, 365

Date, S.K., see S.A. Agnihotry **212**, 381
De Châtel, P.F., see Z. Kozioł **212**, 133
Díaz, A., see C. Torrón **212**, 440
Ding, H., see M. Lindroos **212**, 347
Dong, S.Y., D.H. Kim and H.S. Kwok, Controlled growth and critical currents of bi-textured $YBa_2Cu_3O_{7-\delta}$ films on yttria stabilized zirconia substrate **212**, 323
Dorosinskii, L.A. and A.A. Polyanskii, Determination of the critical current distribution in 1–2–3 single crystals by magnetic flux patterns observed on the sample surface **212**, 211
Dorris, S.E., B.C. Prorok, M.T. Lanagan, S. Sinha and R.B. Poeppel, Synthesis of highly pure bismuth-2223 by a two-powder process **212**, 66
Dou, S.X., see Y. Zhao **212**, 451
Du, Z.L., see P.C.W. Fung **212**, 279
Dyomin, A.V., see V.A. Khlus **212**, 352

Erb, A., see A. Zibold **212**, 365

Feng, H.H., see Y.Y. Sun **212**, 169
Finch, A.A., see A.B. Sheikh **212**, 95
Fincher, C.R., see W.L. Holstein **212**, 110
Fisk, Z., see E.T. Ahrens **212**, 317
Franse, J.J.M., see Z. Kozioł **212**, 133
Freeman, A.J., see D.L. Novikov **212**, 233
Fujiwara, A., see M. Mochida **212**, 191
Fujiyoshi, T., see K. Yamafuji **212**, 424
Fukai, Y., see T. Nagashima **212**, 6
Fukushima, K., Molecular orbital calculations of possible pinning centers for magnetic flux in copper oxide superconductors **212**, 407
Funakura, M., see A. Oota **212**, 23
Fung, P.C.W., Z.L. Du, J.C.L. Chow, Z.H. He, T.F. Yu, Y.Y. Luo, Q.Y. Li and Y. Lu, Energy dispersive X-ray spectroscopy analysis of $YBa_2Cu_{3-x}Sn_xO_{7-\delta}$ superconductors fabricated by melt-texture-growth method **212**, 279

Gai, P.L., see W.L. Holstein **212**, 110
Genenko, Yu.A., see P.N. Mikheenko **212**, 332
Gerdanian, P. and C. Picard, Carrier-charge measurement test for the existence of large bipolarons in $YBa_2Cu_3O_z$ **212**, 1
Geserich, H.P., see A. Zibold **212**, 365
Gilchrist, J. and M. Konczykowski, Superconductor screen viewed as one or two inductive loops **212**, 43
Gofron, K., see M. Lindroos **212**, 347
Goretta, K., see Z.Y. Chen **212**, 206
Gosset, P.C. and B.L. Györffy, The effect of quantum fluctuations on the vortex-depinning-current in a finite array of Josephson-coupled point-superconductors **212**, 61

Goto, T. and M. Shinzato, Partial melting of solution-spun (Y, Ho)$_1$Ba$_2$Cu$_3$O$_x$ filament **212**, 339
Guan, W.Y., see Y.H. Xu **212**, 119
Györffy, B.L., see P.C. Gosset **212**, 61

Hammel, P.C., see E.T. Ahrens **212**, 317
Harashina, H., T. Nishikawa, T. Kiyokura, S. Shamoto, M. Sato and K. Kakurai, Cu-site doping effects, transport and magnetic properties of high-T_c oxides and their hole concentration dependence **212**, 142
Hauck, J., B. Bischof, K. Mika, E. Janning, H. Libutzki and J. Plewa, Reaction of H_2 gas with perovskite related cuprates **212**, 435
He, Z.H., see P.C.W. Fung **212**, 279
Hervieu, M., see D. Pelloquin **212**, 199
Hervieu, M., see A. Maignan **212**, 239
Hervieu, M., see C. Martin **212**, 274
Higa, H., see K. Higashiyama **212**, 101
Higashiyama, K., T. Ushida, H. Higa, I. Hirabayashi and S. Tanaka, Growth mechanism of *a*-axis oriented $YBa_2Cu_3O_{7-\delta}$ thin film by laser-induced MOCVD **212**, 101
Hirabayashi, I., see K. Higashiyama **212**, 101
Holstein, W.L., L.A. Parisi, C.R. Fincher and P.L. Gai, Superconducting thin films containing randomly disordered layers of $TlBa_2Ca_2Cu_3O_9$ and $Tl_2Ba_2Ca_2Cu_3O_{10}$ **212**, 110
Hor, P.H., see Y.Y. Sun **212**, 169
Huang, Q., see O. Chmaissem **212**, 259
Huang, Y.L., see G.E. Zhou **212**, 151
Huve, M., see C. Martin **212**, 274

Irvine, J.T.S., see A.B. Sheikh **212**, 95
Itoh, M., A. Tokiwa-Yamamoto, S. Adachi and H. Yamauchi, Increase of T_c in $HgBa_2CuO_y$ by reducing treatment **212**, 271
Iwaya, J., see A. Oota **212**, 23

Janning, E., see J. Hauck **212**, 435
Jegoudez, J., see C. Torrón **212**, 440
Jia, Y.B., see G.E. Zhou **212**, 151
Johnston, D.C., see J.H. Cho **212**, 419

Kadowaki, K., see T. Nagashima **212**, 6
Kakurai, K., see H. Harashina **212**, 142
Kao, H.-C.I., see D.S. Wu **212**, 32
Khlus, V.A. and A.V. Dyomin, AC magnetic susceptibility and flux noise in simple Josephson-coupled superconducting clusters **212**, 352
Kim, D.H., see S.Y. Dong **212**, 323
Kishio, K., see K. Yamafuji **212**, 424
Kiyokura, T., see H. Harashina **212**, 142
Klavins, P., see S.J. Peng **212**, 301
Kogan, V.G., see J.H. Cho **212**, 419
Koike, Y., see M. Mochida **212**, 191
Konczykowski, M., see J. Gilchrist **212**, 43
Koperdraad, R.T.W., see A. Lodder **212**, 81
Kostic, P., see Z.Y. Chen **212**, 206
Kozioł, Z., P.F. De Châtel, J.J.M. Franse, Z. Tarnawski and A.A. Menovsky, Evidence for nonlinear flux diffusion from magnetization relaxation in $Bi_2Sr_2CaCu_2O_8$ single crystals **212**, 133
Ku, H.C., see J.B. Shi **212**, 372
Kufaev, Yu.A., see A.I. Sokolov **212**, 19
Kwok, H.S., see S.Y. Dong **212**, 323

LaGraff, J.R. and D.A. Payne, Concentration-dependent oxygen diffusivity in $YBa_2Cu_3O_{6+x}$. I. Argon annealing studies **212**, 470
LaGraff, J.R. and D.A. Payne, Concentration-dependent oxygen diffusivity in $YBa_2Cu_3O_{6+x}$. II. Oxygen partial pressure studies **212**, 478
LaGraff, J.R. and D.A. Payne, Concentration-dependent oxygen diffusivity in $YBa_2Cu_3O_{6+x}$. III. Diffusion mechanisms **212**, 487
Lan, M.D., see S.J. Peng **212**, 301
Lanagan, M.T., see S.E. Dorris **212**, 66
Ledvij, M., see J.H. Cho **212**, 419
Lee, W.Y., see Y.K. Sun **212**, 37
Levin, K., see Y. Zha **212**, 413
Li, Q.Y., see P.C.W. Fung **212**, 279
Li, Y.F., see Z.Y. Chen **212**, 206
Libutzki, H., see J. Hauck **212**, 435
Lindroos, M., A. Bansil, K. Gofron, J.C. Campuzano, H. Ding, R. Liu and B.W. Veal, Signature of the CuO_2 plane related bands in $YBa_2Cu_3O_{6.9}$ as seen by angle-resolved photoemission **212**, 347
Liu, H.K., see Y. Zhao **212**, 451
Liu, J.Z., see S.J. Peng **212**, 301
Liu, R., see M. Lindroos **212**, 347
Lockhart, J., see J. Zhu **212**, 216
Lodder, A. and R.T.W. Koperdraad, Proximity effect theories for metallic multilayers. Comparison and applications **212**, 81
Lowndes, D.H., see N.D. Browning **212**, 185
Lu, Y., see P.C.W. Fung **212**, 279
Luo, Y.Y., see P.C.W. Fung **212**, 279

Maeda, T., see N. Sakai **212**, 75
Maignan, A., see D. Pelloquin **212**, 199
Maignan, A., G. Van Tendeloo, M. Hervieu, C. Michel and B. Raveau, A new "1212" mercury-based 90 K superconductor: $Y_{0.6}Ca_{0.4}Ba_2[Hg_{1-x}M_x]O_{6+y}$ **212**, 239
Maignan, A., see C. Martin **212**, 274
Maksimov, L.A., see A.F. Barabanov **212**, 375
Marezio, M., see O. Chmaissem **212**, 259
Marezio, M., see S.N. Putilin **212**, 266
Martin, C., M. Huve, G. Van Tendeloo, A. Maignan, C. Michel, M. Hervieu and B. Raveau, A mercury-based superconducting cuprate, intergrowth of the 2201 and 1201 structures $Tl_2HgBa_4Cu_2O_{10+y}$ **212**, 274
Mather, C.C., see A.B. Sheikh **212**, 95
Matsuda, N., see Y. Shiina **212**, 173
Matsui, H., see A. Oota **212**, 23
Matsuno, T., see K. Yamafuji **212**, 424

Matsushita, T., see K. Yamafuji **212**, 424
Medvedev, Yu.V., see P.N. Mikheenko **212**, 332
Menovsky, A.A., see Z. Kozioł **212**, 133
Mester, J., see J. Zhu **212**, 216
Michel, C., see D. Pelloquin **212**, 199
Michel, C., see A. Maignan **212**, 239
Michel, C., see C. Martin **212**, 274
Mika, K., see J. Hauck **212**, 435
Mikheenko, P.N., Yu.A. Genenko, Yu.V. Medvedev, A.I. Usoskin and I.N. Chukanova, Current-induced decoupling of superconducting planes in oriented YBaCuO thick films **212**, 332
Mishra, N.C. and X. Oudet, Inner shell and bonds in high-T_c superconductors **212**, 465
Mitsuyama, K., see A. Oota **212**, 23
Miura, N., see K. Tatsuhara **212**, 459
Mochida, M., Y. Koike, K. Sasaki, A. Fujiwara, T. Noji and Y. Saito, Synthesis and superconductivity of IBr-intercalated $Bi_2Sr_2CaCu_2O_8$ **212**, 191
Mochiku, T., see T. Nagashima **212**, 6
Môri, N., see S. Adachi **212**, 164
Müller-Vogt, G., see A. Zibold **212**, 365

Nagashima, T., N. Shimoji, Y. Fukai, T. Mochiku and K. Kadowaki, Magnetization behavior of single crystalline $Bi_2Sr_2CaCu_2O_y$ above 60 K **212**, 6
Nakamura, Y.O., see Y. Shiina **212**, 173
Neminsky, A.M. and P.N. Nikolaev, Temperature dependence of anisotropic penetration depth in $YBa_2Cu_3O_7$ measured on aligned fine powder **212**, 389
Nikolaev, P.N., see A.M. Neminsky **212**, 389
Nishikawa, T., see H. Harashina **212**, 142
Noji, T., see M. Mochida **212**, 191
Norton, D.P., see N.D. Browning **212**, 185
Novikov, D.L. and A.J. Freeman, Electronic structure and Fermi surface of the $HgBa_2CuO_{4+\delta}$ superconductor. Apparent importance of the role of van Hove singularities on high T_c **212**, 233
Nücker, N., see A. Zibold **212**, 365

Oota, A., M. Funakura, J. Iwaya, H. Matsui and K. Mitsuyama, Critical current density and microstructure of *c*-axis-oriented $Bi_2Sr_2CaCu_2O_x$ and $(Bi, Pb)_2Sr_2Ca_2Cu_3O_x$ superconducting tapes **212**, 23
Oudet, X., see N.C. Mishra **212**, 465

Parisi, L.A., see W.L. Holstein **212**, 110
Payne, D.A., see J.R. LaGraff**212**, 470, 478, 487
Pederson, D.O., see Z.Y. Chen **212**, 206
Pelloquin, D., A. Maignan, M. Caldès, M. Hervieu, C. Michel and B. Raveau, The bismuth oxycarbonate $Bi_2Sr_{6-x}Cu_3O_{10}(CO_3)_2$. A new 40 K superconductor, second member of the series $(Bi_2Sr_2CuO_6)_n(Sr_2CuO_2CO_3)_{n'}$ **212**, 199
Peng, S.J., M.D. Lan, P. Klavins, J.Z. Liu and R.N. Shelton, Improved superconducting properties in melt-textured $ErBa_2Cu_3O_{7-\delta}$ ceramic material **212**, 301
Pennycook, S.J., see N.D. Browning **212**, 185
Picard, C., see P. Gerdanian **212**, 1
Plewa, J., see J. Hauck **212**, 435
Poeppel, R.B., see S.E. Dorris **212**, 66
Polyanskii, A.A., see L.A. Dorosinskii **212**, 211
Pomar, A., see C. Torrón **212**, 440
Prorok, B.C., see S.E. Dorris **212**, 66
Pudikov, V., Peculiarity of vortex interaction near the surface in highly layered superconductors **212**, 155
Putilin, S.N., see I. Bryntse **212**, 223
Putilin, S.N., see O. Chmaissem **212**, 259
Putilin, S.N., E.V. Antipov and M. Marezio, Superconductivity above 120 K in $HgBa_2CaCu_2O_{6+\delta}$ **212**, 266

Ramallo, M.V., see C. Torrón **212**, 440
Raveau, B., see D. Pelloquin **212**, 199
Raveau, B., see A. Maignan **212**, 239
Raveau, B., see C. Martin **212**, 274
Revcolevschi, A., see C. Torrón **212**, 440
Reyes, A.P., see E.T. Ahrens **212**, 317
Rhyner, J., Magnetic properties and AC-losses of superconductors with power law current–voltage characteristics **212**, 292

Saito, Y., see M. Mochida **212**, 191
Sakai, N., T. Maeda, H. Yamauchi and S. Tanaka, Superconductivity in (Pb/Cu)-"1222" copper oxides **212**, 75
Santoro, A., see O. Chmaissem **212**, 259
Sasaki, K., see M. Mochida **212**, 191
Sato, H., see K. Tatsuhara **212**, 459
Sato, M., see H. Harashina **212**, 142
Sayer, M., see J. Wang **212**, 395
Schirber, J.E., see E.T. Ahrens **212**, 317
Shamoto, S., see H. Harashina **212**, 142
Sheikh, A.B., A.A. Finch, C.C. Mather and J.T.S. Irvine, Critical current behaviour in reduced magnesium titanate spinel showing zero resistance **212**, 95
Shelton, R.N., see S.J. Peng **212**, 301
Sheng, Z.Z., see Z.Y. Chen **212**, 206
Shi, D.L., see Z.Y. Chen **212**, 206
Shi, F., see Y. Zhao **212**, 451
Shi, J.B. and H.C. Ku, Anisotropy in normal-state magnetic susceptibility of *c*-axis aligned $(Bi, Pb)_2Sr_2Ca_2Cu_3O_{10+\delta}$ powders **212**, 372
Shi, L., see G.E. Zhou **212**, 151
Shiina, Y., N. Matsuda and Y.O. Nakamura, A possible explanation of gap features in high-T_c cuprates. Tunneling density of states and infrared conductivity **212**, 173
Shimoji, N., see T. Nagashima **212**, 6
Shinzato, M., see T. Goto **212**, 339
Si, Q.M., see Y. Zha **212**, 413
Singh, D.J., Electronic structure of $HgBa_2CuO_4$ **212**, 228
Sinha, K.P., Photon-induced superconducting phase transition in some cuprates **212**, 128
Sinha, S., see S.E. Dorris **212**, 66

Sokolov, A.I., Yu.A. Kufaev and E.B. Sonin, Penetration depth and Ginzburg number in Rb_3C_{60} **212**, 19
Sonin, E.B., see A.I. Sokolov **212**, 19
Sosulnikov, M.I., see Yu.A. Teterin **212**, 306
Sun, Y.K. and W.Y. Lee, Preparation of high purity 110 K phase in the Bi(Pb)–Sr–Ca–Cu–O superconductor using the modified citrate process **212**, 37
Sun, Y.Y., H.H. Feng, Y.K. Tao and P.H. Hor, On the superconductivity of $Pb_2Sr_2(Ln_{2-y}Ce_y)Cu_3O_{10+d}$ **212**, 169

Tanaka, S., see N. Sakai **212**, 75
Tanaka, S., see K. Higashiyama **212**, 101
Tanaka, S., see S. Adachi **212**, 164
Tang, Y.Q., see Z.Y. Chen **212**, 206
Tao, Y.K., see Y.Y. Sun **212**, 169
Tarnawski, Z., see Z. Kozioł **212**, 133
Tatsuhara, K., N. Miura, H. Sato and S. Uchida, Magnetoresistance and upper critical fields of $Ba_{1-x}K_xBiO_3$ thin films **212**, 459
Teterin, Yu.A. and M.I. Sosulnikov, X-ray photoelectron study of Ca, Sr and Ba ion chemical states in high-T_c superconductors **212**, 306
Thompson, J.D., see E.T. Ahrens **212**, 317
Tokiwa-Yamamoto, A., see M. Itoh **212**, 271
Toko, K., see K. Yamafuji **212**, 424
Torrón, C., A. Díaz, J. Jegoudez, A. Pomar, M.V. Ramallo, A. Revcolevschi, J.A. Veira and F. Vidal, Measurements of the magnetic susceptibility above the superconducting transition of $YBa_2Cu_3O_{7-\delta}$ single crystals in the weak magnetic field limit **212**, 440
Turneaure, J., see J. Zhu **212**, 216

Uchida, S., see K. Tatsuhara **212**, 459
Ushida, T., see K. Higashiyama **212**, 101
Usoskin, A.I., see P.N. Mikheenko **212**, 332

V. Löhneysen, H., see A. Zibold **212**, 365
Van Tendeloo, G., see A. Maignan **212**, 239
Van Tendeloo, G., see C. Martin **212**, 274
Veal, B.W., see M. Lindroos **212**, 347
Veira, J.A., see C. Torrón **212**, 440
Vidal, F., see C. Torrón **212**, 440

Wang, C.M., see D.S. Wu **212**, 32
Wang, J. and M. Sayer, Critical current models and magnetic shielding of high temperature superconductors **212**, 395
Widder, L., see A. Zibold **212**, 365
Wu, D.S., Y.F. Yang, H.-C.I. Kao and C.M. Wang, The effect of the Ca/Ba ratio on the superconductivity of the $La_3Ca_xBa_{4-x}Cu_7O_y$ system **212**, 32

Xu, Y.H. and W.Y. Guan, Ion size effect on T_c in $RBa_2Cu_{3-x}Ga_xO_{7-y}$ systems (R=Er, Y, Dy, Eu and Nd) **212**, 119

Yamafuji, K., T. Fujiyoshi, K. Toko, T. Matsuno, K. Kishio and T. Matsushita, A theory of thermal-fluctuation-induced depinning line in weakly pinning high-T_c superconductors **212**, 424
Yamauchi, H., see N. Sakai **212**, 75
Yamauchi, H., see S. Adachi **212**, 164
Yamauchi, H., see M. Itoh **212**, 271
Yang, Y.F., see D.S. Wu **212**, 32
Yao, L.Z., see G.E. Zhou **212**, 151
Yu, T.F., see P.C.W. Fung **212**, 279

Zha, Y., Q.M. Si and K. Levin, Theory of contrasting spin dynamics in $YBa_2Cu_3O_{7-\delta}$ and $La_{2-x}Sr_xCuO_4$ **212**, 413
Zhang, Y.H., see G.E. Zhou **212**, 151
Zhao, Y., F. Shi, H.K. Liu, C. Andrikidis and S.X. Dou, Substitution effect of Mo and W on structure and superconductivity in Sr-based 123-compounds $YSr_2Cu_{2.7}M_{0.3}O_y$ (M=Mo and W) **212**, 451
Zhou, G.E., L. Shi, Y.L. Huang, L.Z. Yao, Y.B. Jia and Y.H. Zhang, The comparison of structural characteristics between 2212 and 2201 phases in the Bi–Sr–Ca–Cu–O system **212**, 151
Zhu, J., J. Mester, J. Lockhart and J. Turneaure, Critical states in 2D disk-shaped type-II superconductors in periodic external magnetic field **212**, 216
Zhukov, L.E., see A.F. Barabanov **212**, 375
Zibold, A., L. Widder, H.P. Geserich, G. Bräuchle, H. Claus, H. V. Löhneysen, N. Nücker, A. Erb and G. Müller-Vogt, Optical investigation of the metal–insulator transition regime in single-domain crystals of $YBa_2Cu_3O_x$ **212**, 365

Physica C 212 (1993) 501–502
North-Holland

PHYSICA C

Analytic Subject Index to Volume 212

AC susceptibility 43, 199, 216, 266, 292, 352, 389
Anisotropic superconductor 332, 389
Antiferromagnetic order 413
Applications
Applications
–of high-T_c superconductors 23, 66, 395
ARPES 347

Band structure 347, 375
BCS model 81
Bipolarons 1

C_{60} compounds 19
Carrier concentration 142, 375
Cluster calculation 407
Coulomb interactions 465
Critical current density 6, 23, 61, 66, 95, 110, 211, 279, 301, 323, 332, 339, 395
Critical phenomena 440
Critical state model 6, 133, 211, 216, 395
CuO_2 plane 375
Cu–O chains 487
Cu–O planes 347
Cu valence 206

Density of states 119, 228

Electrical resistivity 1, 191, 206, 470, 478
Electronic structure 128, 306, 407, 465
–of $HgBa_2CuO_4$ 228
–of $HgBa_2CuO_{4+\delta}$ 233
Eliashberg theory 173
Energy dispersive X-ray spectroscopy 279

Fermi surface 228, 233
Filamentory superconductivity
–of $Mg_{2-y}Ti_{1+y}O_4$ 95
Fluctuation effects 61, 332, 419, 424, 440
Flux creep 23
Flux distribution 211
Flux dynamics 133, 292
Flux lattice 155, 419
Flux noise 352
Flux pinning 61, 407, 424

Ginzburg–Landau theory 19
Grain alignment 66, 372
Grain alignment (texturing) 23
Grain boundaries 185
Granular superconductivity 19, 43, 352

Hall effect 142
High resolution EELS 185
Hole depletion 185
HREM 199, 223, 239, 274
Hydrogen reaction 435

Incommensurate structure 413
Infrared reflectivity 173
Infrared spectroscopy 37
Intercalation 191
Irradiation effect 128
Irreversibility line 6, 424

Josephson effect 61

Kosterlitz–Thouless transition 155

Lower critical field H_{c1} 301

Magnetic polaron 375
Magnetic relaxation 133, 292
Magnetic shielding 395
Magnetic susceptibility 32, 43, 164, 169, 271, 372, 440
Magnetization 6, 133, 279, 301, 419
Magnetoresistance 459
Metal–insulator transition 119
–in $YBa_2Cu_3O_x$ 365
MOCVD 101
Molecular orbital method 407
Multilayers 81

Neutron diffraction 259
Neutron scattering 142, 413
Non-ohmic behaviour 43, 95, 133, 292
Normal-state properties 1, 372
NQR 317

Optical conductivity 173
Optical spectroscopy 365
O–T transition 119, 451
Oxygen diffusion 470, 478, 487
Oxygen ordering 317
Oxygen stoichiometry 75, 365, 381, 435, 470, 478, 487

Paramagnetic impurity effect 173
Penetration depth 19, 389
Percolation model 323
Peritectic point 32
Phase diagram 435
Photon-induced superconductivity 128
Proximity effect 81

Structure
–of $Bi_2Sr_2CaCu_2O_8$ $(IBr)_{x/2}$ 191
–of $Bi_2Sr_{6-x}Cu_3O_{10}(CO_3)_2$ 199
–of Bi(Pb)–Sr–Ca–Cu–O 37
–of Bi–Sr–Ca–Cu–O 151
–of $HgBa_2CuO_{4+\delta}$ 223, 259
–of $HgBaO_2$ 259
–of (Pb,Cu)(Sr,Ln)$_2$(Ln,Ce)$_2$Cu$_2$O$_z$ (Ln = Sm, Eu, Gd, Dy and Ho) 75
–of Sr–Ca–Cu–O 164
–of $Tl_2HgBa_4Cu_2O_{10+y}$ 274
–of $Y_{0.6}Ca_{0.4}Ba_2Cu_2Hg_{1-x}M_xO_{6+y}$ 239
–of $YBa_2Cu_{3-x}Sn_xO_{7-\delta}$ 279
–of $YSr_2Cu_{2.7}M_{0.3}O_y$ (M = Mo and W) 451
Substitution effects 169, 407
–in $Bi_{2-x}Sb_xSr_2Ca_2Cu_3O_y$ 381
–in $La_{2-y}Sr_yCu_{1-x}M_xO_4$, $YBa_2(Cu_{1-x}Zn_x)_3O_{6+y}$ 142
–in $La_3Ca_xBa_{4-x}Cu_7O_y$ 32
–in (Pb,Cu)(Sr,Ln)$_2$(Ln,Ce)$_2$Cu$_2$O$_z$ (Ln = Sm, Eu, Gd, Dy and Ho) 75
–in $RBa_2Cu_{3-x}Ga_xO_{7-y}$ (R = Er, Y, Dy, Eu and Nd) 119
–in $(Tl_{1-x}Bi_x)Sr_2$ $(Nd_{0.75}Ce_{0.25})_2$ Cu_2O_z 206
–in $YSr_2Cu_{2.7}M_{0.3}O_y$ (M = Mo and W) 451
Synthesis
–of $Pb_2Sr_2(Ln_{2-y}Ce_y)Cu_3O_{10+d}$ 169
Synthesis
–of $Bi_2Sr_{6-x}Cu_3O_{10}(CO_3)_2$ 199
–of Bi(Pb)–Sr–Ca–Cu–O 37
–of Bi–Pb–Sr–Ca–Cu–O 66
–of $ErBa_2Cu_3O_{7-\delta}$ 301
–of $HgBa_2CaCu_2O_{6+\delta}$ 266
–of $HgBa_2CuO_y$ 271

–of Sr–Ca–Cu–O 164
–of $Tl_2Ba_2Ca_2Cu_3O_{10}$ 110
–of $Tl_2HgBa_4Cu_2O_{10+y}$ 274
–of $TlBa_2Ca_2Cu_3O_9$ 110
–of $(Y.Ho)_1Ba_2Cu_3O_x$ 339
–of $Y_{0.6}Ca_{0.4}Ba_2Cu_2Hg_{1-x}M_xO_{6+y}$ 239
–of $YBa_2Cu_3O_{7-\delta}$ 101
–of $YBa_2Cu_{3-x}Sn_xO_{7-\delta}$ 279
–of $YSr_2Cu_{2.7}M_{0.3}O_y$ (M = Mo and W) 451

Thermal history effects 317
Thermoelectric effects 1
Thermogravimetry 435
Thin film
–of $YBa_2Cu_3O_{7-\delta}$ 101
Thin films 110, 216, 323
–of $Ba_{1-x}K_xBiO_3$ 459
Tunneling density of states 173
Type II superconductors 81, 155

Upper critical field H_{c2} 81, 459

Van Hove singularities 233

Weak links 43, 61, 110

XPS 306
X-ray diffraction 151, 206, 266, 271, 339, 381